

LENOVO® THINKSERVER® OPTIONS AND UPGRADES

Enhance your server solutions.



CONTENTS

| GET MORE OUT OF YOUR THINKSERVER SYSTEMS | PAGE 1 |
|--|---------|
| BOOST YOUR PERFORMANCE WITH THINKSERVER PROCESSOR AND MEMORY OPTIONS | PAGE 2 |
| STEP UP YOUR INTERNAL STORAGE WITH THINKSERVER HARD DRIVE, SOLID-STATE DRIVE AND RAID OPTIONS | PAGE 4 |
| CONNECT YOUR SERVER WITH THINKSERVER NETWORKING OPTIONS | PAGE 7 |
| MANAGE WITH EASE WITH THINKSERVER MANAGEMENT MODULE PREMIUM | PAGE 9 |
| UPGRAGE YOUR THINKSERVER POWER SUPPLIES | PAGE 9 |
| PROTECT, MANAGE AND SHARE YOUR CRITICAL DATA WITH LenovoEMC AND THINKSERVER STORAGE OPTIONS | PAGE 10 |

CHOOSE LENOVO THINKSERVER – ENTERPRISE-CLASS. OUTSTANDING VALUE.

From growing small businesses to enterprise workloads, Lenovo ThinkServer tower servers meet your business-critical demands with legendary THINK quality and reliability, while maximizing your budget.

GET MORE OUT OF YOUR THINKSERVER SYSTEMS

As your business needs grow, you need IT that can grow with you — without straining your budget or increasing complexity. Cost-effective ThinkServer options give you added performance and functionality and are easy to install and configure so you can be up and running quickly and stay that way. Why should you buy ThinkServer-branded options?

- Compatibility ThinkServer options and upgrades are thoroughly tested for compatibility for easy integration into your system. We don't mean just plugging the option in and powering on the system. We test ThinkServer options in multiple configurations to make sure we have full compatibility across the line.
- Reliability Because reliability is key, we strive for flawless implementation so your server starts quickly and stays up and running. At Lenovo, we have high expectations from our suppliers. All ThinkServer options must meet stringent quality standards for reliability in enterprise environments. We source the best materials available and ensure they are living up to Lenovo standards.
- Serviceability ThinkServer options inherit the base system warranty of the server to which they are installed including 4-hour service upgrades. If your server is critical enough to your business to upgrade the warranty, the only way to ensure that availability is to choose ThinkServer options.
- **Optimization** We turn the results from our rigorous quality testing into action and optimize many options to deliver the best ThinkServer performance possible.



BOOST YOUR PERFORMANCE

Processors and Memory

When you want to increase ThinkServer performance for database processing, virtualization and line-of-business applications among others, consider adding a second processor or expanding memory. ThinkServer tower servers are powered by the latest-generation Intel® Xeon® processor technology, providing world-class performance and compute power. Lenovo-branded, low-voltage memory offers higher performance and more bandwidth over previous-generation technology, while reducing power consumption.

| Part Number | Processor | RD640 | RD540 | RD440 | RD340 | TD340 | TS440 | TS140 |
|-------------|--|-------|-------|-------|-------|-------|-------|-------|
| OC19546 | Intel Xeon E5-2697 v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | | |
| OC19547 | Intel Xeon E5-2695 v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | | |
| OC19548 | Intel Xeon E5-2690 v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | | |
| OC19549 | Intel Xeon E5-2680 v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | | |
| OC19550 | Intel Xeon E5-2670 v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | | |
| OC19551 | Intel Xeon E5-2660 v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | | |
| OC19552 | Intel Xeon E5-2650L v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | | |
| OC19553 | Intel Xeon E5-2667 v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | | |
| OC19554 | Intel Xeon E5-2650 v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | | |
| OC19555 | Intel Xeon E5-2640 v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | | |
| OC19556 | Intel Xeon E5-2630 v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | | |
| 0C19557 | Intel Xeon E5-2620 v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | | |
| 0C19558 | Intel Xeon E5-2630L v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | | |
| OC19559 | Intel Xeon E5-2609 v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | | |
| 0C19560 | Intel Xeon E5-2603 v2 Processor Option for ThinkServer RD540/RD640 | * | * | | | | - 7 | |
| OC19537 | Intel Xeon E5-2470 v2 Processor Option for ThinkServer RD340/RD440 | | | * | * | | | |
| OC19538 | Intel Xeon E5-2450 v2 Processor Option for ThinkServer RD340/RD440 | | | * | * | | | |
| OC19539 | Intel Xeon E5-2440 v2 Processor Option for ThinkServer RD340/RD440 | | | * | * | | | |
| OC19540 | Intel Xeon E5-2430 v2 Processor Option for ThinkServer RD340/RD440 | | | * | * | | | |
| OC19541 | Intel Xeon E5-2420 v2 Processor Option for ThinkServer RD340/RD440 | | | * | * | | | |
| OC19542 | Intel Xeon E5-2407 v2 Processor Option for ThinkServer RD340/RD440 | | | * | * | | | |
| OC19543 | Intel Xeon E5-2403 v2 Processor Option for ThinkServer RD340/RD440 | | | * | * | | | |





| Part Number | Processor | RD640 | RD540 | RD440 | RD340 | TD340 | TS440 | TS140 |
|-------------|--|-------|-------|-------|-------|-------|-------|-------|
| OC19544 | Intel Xeon E5-2450L v2 Processor Option for ThinkServer RD340/RD440 | | | * | * | | | |
| OC19545 | Intel Xeon E5-2430L v2 Processor Option for ThinkServer RD340/RD440 | | | * | * | | | |
| OC19561 | Intel Xeon E5-2470 v2 Processor Option for ThinkServer TD340 | | | | | * | | |
| OC19562 | Intel Xeon E5-2450 v2 Processor Option for ThinkServer TD340 | | | | | * | | |
| OC19563 | Intel Xeon E5-2440 v2 Processor Option for ThinkServer TD340 | | | | | * | | |
| OC19564 | Intel Xeon E5-2430 v2 Processor Option for ThinkServer TD340 | | | | | * | | |
| OC19565 | Intel Xeon E5-2420 v2 Processor Option for ThinkServer TD340 | | | | | * | | |
| OC19566 | Intel Xeon E5-2407 v2 Processor Option for ThinkServer TD340 | | | | | * | | |
| OC19567 | Intel Xeon E5-2403 v2 Processor Option for ThinkServer TD340 | | | | | * | | |
| OC19568 | Intel Xeon E5-2450L v2 Processor Option for ThinkServer TD340 | | | | | * | | |
| OC19569 | Intel Xeon E5-2430L v2 Processor Option for ThinkServer TD340 | | | | | * | | |

| Part Number | Memory | RD640 | RD540 | RD440 | RD340 | TD340 | TS440 | TS140 |
|-------------|--|-------|-------|-------|-------|-------|-------|-------|
| OC19498 | ThinkServer 2GB DDR3L-1600 MHz (1Rx8) ECC UDIMM | | | | | * | * | * |
| OC19499 | ThinkServer 4GB DDR3L-1600 MHz (1Rx8) ECC UDIMM | | | | | * | * | * |
| OC19500 | ThinkServer 8GB DDR3L-1600 MHz (2Rx8) ECC UDIMM | | | | | | * | * |
| OC19533 | ThinkServer 4GB DDR3L-1600 MHz (1Rx8) RDIMM | * | * | * | * | * | | |
| OC19534 | ThinkServer 8GB DDR3L-1600 MHz (2Rx8) RDIMM | * | * | * | * | * | | |
| OC19535 | ThinkServer 16GB DDR3L-1600 MHz (2Rx4) RDIMM | * | * | * | * | * | | |
| 4X70F28585 | ThinkServer 4GB DDR3-1866 MHz (1Rx8) RDIMM | * | * | | | | | |
| 4X70F28586 | ThinkServer 8GB DDR3-1866 MHz (1Rx4) RDIMM | * | * | | | | | |
| 4X70F28587 | ThinkServer 16GB DDR3-1866 MHz (2Rx4) RDIMM | * | * | | | | | |



STEP UP YOUR INTERNAL STORAGE

Hard-disk Drives and Solid-state Drives

Your data is likely your most important asset. For storage, you need no-compromises performance and high reliability. For ThinkServer, Lenovo offers a choice of the industry's most trusted SATA or SAS hard-disk drives as well as blazing-fast solid-state drives in various capacities that are tested for durability. Easy to install, ThinkServer drives are designed with ergonomic cradles that also make maintenance a snap. No matter your business needs, ThinkServer storage options deliver the performance, reliability and capacity you demand. Wondering which drive type you should use? Consider this.

- · SATA hard-disk drives offer an unbeatable combination of high scalability and budget-friendly prices.
- SAS hard-disk drives are typically only used in servers. They have better error-correcting capabilities than SATA hard-disk drives and are generally two-to-three times faster.
- Solid-state drives contain no moving parts making them more reliable than SATA or SAS hard-disk drives and much faster.

 Choose solid-state drives when the absolute highest performance and reliability are non-negotiable.

| Part Number | Option | RD640 | RD540 | RD440 | RD340 | TD340 | TS440 | TS140 |
|---------------|--|-------|-------|-------|-------|-------|-------|-------|
| 3.5" Hard-dis | k drives | | | | | | | |
| OC19501 | ThinkServer 3.5" 500GB 7.2K Enterprise SATA 6Gbps Hard Drive | | | | | * | * | * |
| OC19502 | ThinkServer 3.5" 1TB 7.2K Enterprise SATA 6Gbps Hard Drive | | | | | * | * | * |
| 0C19503 | ThinkServer 3.5" 2TB 7.2K Enterprise SATA 6Gbps Hard Drive | | | | | * | * | * |
| OC19504 | ThinkServer 3.5" 3TB 7.2K Enterprise SATA 6Gbps Hard Drive | | | | | * | * | * |
| OC19505 | ThinkServer 3.5" 4TB 7.2K Enterprise SATA 6Gbps Hard Drive | | | | | * | * | * |
| OC19514 | ThinkServer 3.5" HDD to 5.25" Tray Convertor Kit | | | | | | | * |
| OC19529 | ThinkServer 3.5" HDD to 5.25" Tray Convertor with Slim ODD Kit | | | | | | | * |
| 0A89473 | ThinkServer3.5" 500GB 7.2K Enterprise SATA 6Gbps hot-swap Hard Drive | * | * | * | * | * | * | |
| 0A89474 | ThinkServer 3.5" 1TB 7.2K Enterprise SATA 6Gbps hot-swap Hard Drive | * | * | * | * | * | * | |
| 0A89475 | ThinkServer 3.5" 2TB 7.2K Enterprise SATA 6Gbps hot-swap Hard Drive | * | * | * | * | * | * | |
| 0A89477 | ThinkServer 3.5" 3TB 7.2K Enterprise SATA 6Gbps hot-swap Hard Drive | * | * | * | * | * | * | |
| 0C19520 | ThinkServer 3.5" 4TB 7.2K Enterprise SATA 6Gbps hot-swap Hard Drive | * | * | * | * | * | * | |
| 67Y2616 | ThinkServer 3.5" 300GB 15K SAS 6Gbps hot-swap Hard Drive | * | * | * | * | * | | |
| 4XB0F28644 | ThinkServer 3.5" 600GB 15K SAS 6Gbps hot-swap Hard Drive | * | * | * | * | * | | |
| OC19530 | ThinkServer 3.5" 1TB 7.2K SAS 6Gbps hot-swap Hard Drive | * | * | * | * | * | * | |
| OC19531 | ThinkServer 3.5" 2TB 7.2K SAS 6Gbps hot-swap Hard Drive | * | * | * | * | * | * | |
| OC19532 | ThinkServer 3.5" 3TB 7.2K SAS 6Gbps hot-swap Hard Drive | * | * | * | * | * | * | |
| 2.5" Hard-dis | k drives | | | | | | | |
| 4XB0F28633 | ThinkServer 2.5" 500GB 7.2K Enterprise SATA 6Gbps Hard Drive | | | | | | | * |
| 4XB0F28634 | ThinkServer 2.5" 1TB 7.2K Enterprise SATA 6Gbps Hard Drive | | | | | | | * |
| OC19495 | ThinkServer 2.5" 500GB 7.2K Enterprise SATA 6Gbps Hot-swap Hard Drive | * | * | * | * | * | * | |
| OC19496 | ThinkServer 2.5" 1TB 7.2K Enterprise SATA 6Gbps hot-swap Hard Drive | * | * | * | * | * | * | |
| 67Y2619 | ThinkServer 2.5" 300GB 10K SAS 6Gbps hot-swap Hard Drive | * | * | * | * | * | * | |

| Part Number | Option | RD640 | RD540 | RD440 | RD340 | TD340 | TS440 | TS140 |
|----------------|--|-------|-------|-------|-------|-------|-------|-------|
| 67Y2621 | ThinkServer 2.5" 600GB 10K SAS 6Gbps hot-swap Hard Drive | * | * | * | * | * | * | |
| 0A89409 | ThinkServer 2.5" 900GB 10K SAS 6Gbps hot-swap Hard Drive | * | * | * | * | * | * | |
| OC19494 | ThinkServer 2.5" 300GB 15K SAS 6Gbps hot-swap Hard Drive | * | * | * | * | | * | |
| 2.5" Solid-sta | ite drives | | | | | | | |
| 0A89420 | ThinkServer 2.5" 100GB MLC SATA Solid State Drive | * | * | * | * | * | | |
| 0A89418 | ThinkServer 2.5" 200GB MLC SATA Solid State Drive | * | * | * | * | * | | |
| 0A89419 | ThinkServer 2.5" 400GB MLC SATA Solid State Drive | * | * | * | * | * | | |
| OC19571 | ThinkServer 2.5" 100GB MLC SATA Solid State Drive to 3.5" Kit | * | * | * | * | * | | |
| OC19572 | ThinkServer 2.5" 200GB MLC SATA Solid State Drive to 3.5" Kit | * | * | * | * | * | | |
| OC19573 | ThinkServer 2.5" 400GB MLC SATA Solid State Drive to 3.5" Kit | * | * | * | * | * | | |
| 4XB0F28619 | ThinkServer 2.5" 120GB Value Read-Optimized SATA 6Gbps Solid State Drive | | | | | | | * |
| 4XB0F28620 | ThinkServer 2.5" 240GB Value Read-Optimized SATA 6Gbps Solid State Drive | | | | | | | * |
| 4XB0F28621 | ThinkServer 2.5" 480GB Value Read-Optimized SATA 6Gbps Solid State Drive | | | | | | | * |
| 4XB0F28615 | ThinkServer 2.5" 120GB Value Read-Optimized SATA 6Gbps hot-swap Solid State Drive | * | * | | | | * | |
| 4XB0F28616 | ThinkServer 2.5" 240GB Value Read-Optimized SATA 6Gbps hot-swap Solid State Drive | * | * | | | | * | |
| 4XB0F28617 | ThinkServer 2.5" 480GB Value Read-Optimized SATA 6Gbps hot-swap Solid State Drive | * | * | | | | * | |
| 4XB0F28618 | ThinkServer 2.5" 600GB Value Read-Optimized SATA 6Gbps hot-swap Solid State Drive | * | * | | | | | |
| 4XB0F28627 | ThinkServer 2.5" 200GB Performance SAS 12Gbps hot-swap Solid State Drive | * | * | | | | | |
| 4XB0F28628 | ThinkServer 2.5" 400GB Performance SAS 12Gbps hot-swap Solid State Drive | * | * | | | | | |
| 4XB0F28629 | ThinkServer 2.5" 800GB Performance SAS 12Gbps hot-swap Solid State Drive | * | * | | | | | |
| 4XB0F28622 | ThinkServer 2.5" 120GB Value Read-Optimized SATA 6Gbps hot-swap Solid State Drive with 3.5" Tray | * | * | | | | * | |
| 4XB0F28623 | ThinkServer 2.5" 240GB Value Read-Optimized SATA 6Gbps hot-swap Solid State Drive with 3.5" Tray | * | * | | | | * | |
| 4XB0F28624 | ThinkServer 2.5" 480GB Value Read-Optimized SATA 6Gbps hot-swap Solid State Drive with 3.5" Tray | * | * | | | | * | |
| 4XB0F28625 | ThinkServer 2.5" 600GB Value Read-Optimized SATA 6Gbps hot-swap Solid State Drive with 3.5" Tray | * | * | | | | | |
| 4XB0F28630 | ThinkServer 2.5" 200GB Performance SAS 12Gbps hot-swap Solid State Drive with 3.5" Tray | * | * | | | | | |
| 4XB0F28631 | ThinkServer 2.5" 400GB Performance SAS 12Gbps hot-swap Solid State Drive with 3.5" Tray | * | * | | | | | |
| 4XB0F28632 | ThinkServer 2.5" 800GB Performance SAS 12Gbps hot-swap Solid State Drive with 3.5" Tray | * | * | | | | | |

RAID

Keeping data online 24/7 and preventing data loss requires smart solutions. Ensure your critical data is protected and available without sacrificing on performance using ThinkServer RAID solutions. Lenovo offers a variety of ThinkServer software RAID upgrades and hardware RAID controllers from LSI^* – the most widely deployed RAID data-protection architecture in the industry.

Our range of ThinkServer RAID controllers addresses virtually all direct-attached storage environments – SATA or SAS hard-disk drives or solid-state drives, server-based storage or external direct-attached JBOD and storage enclosures. Options such as write-back cache with battery backup on the ThinkServer RAID 700 controller take availability to the next level and provide additional peace of mind. CacheCade Pro 2.0/FastPath, an option on the ThinkServer RAID 710 controller, is designed to improve the performance of your existing ThinkServer drive volumes, by utilizing solid-state drive technology as a secondary tier of cache to maximize random read-and-write performance.

| | ThinkServer RAID 300 Upgrade Key | ThinkServer RAID 500 Upgrade Key | ThinkServer RAID 500 Controller | ThinkServer RAID 700 Controller | ThinkServer RAID 710 Controller |
|--|---|--|--|--|--|
| Device Support | SATA, SAS, SSD | SATA, SAS, SSD | SATA, SAS, SSD | SATA, SAS, SSD | SATA, SAS, SSD |
| Data Transfer Rates | Up to 3Gbps | Up to 6Gbps | Up to 6Gbps | Up to 6Gbps | Up to 6Gbps |
| RAID Levels | 5 | 5/50 | 0/1/10 JBOD | 0/1/10 /5/50/6/60 | 0/1/10 /5/50/6/60 |
| Online Capacity Expansion | - | - | Yes | Yes | Yes |
| RAID Level Migration | - | - | Yes | Yes | Yes |
| Global Hot Spare | - | _ | Yes | Yes | Yes |
| Cache Memory | - 1 | - | \ \ - | 512MB | 1GB |
| Cache Protection | -A | - | - | Battery backup 67Y2647 | ThinkServer CacheVault Data Protection Upgrade 0C19490 |
| ThinkServer RAID FastPath ThinkServer RAID CacheCade Pro 2.0 | - | - | - // | - | Yes 0C19491 0C19492 |
| Part Number | 0A89422 | 0A89407 | 0A89464 | 0A89463 | OC19489 |
| Compatibility | TD340 RD440, RD340 | TS440 TD340 RD440, RD340 RD640, RD540 | TS440 TD340 RD440, RD340 RD640, RD540 | TS440 TD340 RD440, RD340 RD640, RD540 | TD340 RD440, RD340 RD640, RD540 |





CONNECT YOUR SERVER

Ethernet adapters, converged network adapters (CNA) and host bus adapters (HBA) help you leverage the full bandwidth potential of your network and scale your I/O to meet your growing infrastructure needs. Lenovo is working with industry-leading technology partners such as Intel, QLogic® and Emulex® to deliver a wide array of robust, fast and reliable Ethernet, CNA and HBA adapter choices for ThinkServer. And remember, as with all ThinkServer-branded options, ThinkServer Ethernet CNAs and HBAs are tested and proven on our tower servers.

Ethernet

Choose among dual- and quad-port ThinkServer Ethernet adapters by Intel with speeds of up to 10Gbps. Enjoy the cost savings and convenience of cross-platform compatibility on many ThinkServer series.

| | Lenovo ThinkServer 1Gbps Ethernet CT2 Server Adapter by | Lenovo ThinkServer 1Gbps Ethernet I350-T2 Server | Lenovo ThinkServer 1Gbps Ethernet I350-T4 Server | Lenovo ThinkServer 10Gbps Ethernet X520-SR2 Server | Lenovo ThinkServer 10Gbps Ethernet X520-DA2 Server | Lenovo ThinkServer 10Gbps Ethernet X540-T2 Server | Lenovo ThinkServer 10Gbps Ethernet Fiber Module by Intel |
|---------------|---|---|---|--|---|--|--|
| | Intel | Adapter by Intel | Adapter by Intel | Adapter by Intel | Adapter by Intel | Adapter by Intel | by Intel |
| Speed | 1Gbps | 1Gbps | 1Gbps | 10Gbps | 10Gbps | 10Gbps | 10Gbps |
| Ports | Single | Dual | Quad | Dual | Dual | Dual | N/A |
| Cable Medium | Copper | Copper | Copper | Fibre | Copper | Copper | Fibre |
| Bracket | LP/FH | LP/FH | LP/FH | LP/FH | LP/FH | LP/FH | N/A |
| Interface | PCIe v1.1 | PCIe v2.0 | PCIe v2.0 | PCIe v2.0 | PCIe v2.0 | PCIe v2.1 | SFP+ |
| Protocols | Ethernet | iSCSI, NFS | iSCSI, NFS | iSCSI, FCoE, NFS | iSCSI, FCoE, NFS | iSCSI, FCoE, NFS | N/A |
| Part Number | 4XC0F28725 | 0C19506 | OC19507 | OC19487 | OC19486 | OC19497 | OC19488 |
| Compatibility | TS140,TS440 | TS140, TS440, TD340, RD340, RD440, RD540, RD640 | TS140, TS440, TD340, RD340, RD440, RD540, RD640 | TD340, RD340, RD440, RD540, RD640 | TD340, RD340, RD440, RD540, RD640 | TD340, RD340, RD440, RD540, RD640 | TD340, RD340, RD440, RD540, RD640 |

CNA

The ThinkServer CNA by QLogic supports concurrent TCP/IP, Fibre Channel over Ethernet (FCoE) and iSCSI traffic over a shared 10Gbps Ethernet link. This adapter showcases industry-leading LAN networking performance and full hardware offload for FCoE and iSCSI protocol processing.

| | Lenovo ThinkServer QLE8242-CU-CK Dual Port CNA by QLogic | | | |
|---------------|---|--|--|--|
| Speed | 10Gbps | | | |
| Ports | Dual | | | |
| Cable Medium | SFP + Copper | | | |
| Bracket | LP | | | |
| Interface | PCIe v2.0 | | | |
| Protocols | TCP/IP, FCoE, iSCSI | | | |
| Part Number | OC19483 | | | |
| Compatibility | TD340, RD340, RD440, RD540, RD640 | | | |



HBAs

Available in single or dual channel, ThinkServer HBAs by QLogic and Emulex offer streamlined installation and management, scalability and virtualization support, making them ideal for enterprise environments. An integrated processor design minimizes onboard components to improve efficiency and maximizes performance. Advanced error-checking features ensure data integrity.

| | 8Gbps Fibre Channel HBAs | | | | | | |
|---------------|--|--|---|--|--|--|--|
| | Lenovo ThinkServer LPe1250 Single-port 8Gb FC HBA by Emulex | Lenovo ThinkServer QLE2560 Single-port 8Gb FC HBA by QLogic | Lenovo ThinkServer LPe12002 Dual-port 8Gb FC HBA by Emulex | Lenovo ThinkServer QLE2562 Dual-port 8Gb FC HBA by QLogic | | | |
| Speed | 8Gbps | 8Gbps | 8Gbps | 8Gbps | | | |
| Ports | Single | Single | Dual | Dual | | | |
| Cable Medium | Fibre | Fibre | Fibre | Fibre | | | |
| Bracket | FH | LP | LP | LP | | | |
| Interface | PCIe v2.0 | PCIe v2.0 | PCIe v2.0 | PCIe v2.0 | | | |
| Protocols | Fibre Channel | Fibre Channel | Fibre Channel | Fibre Channel | | | |
| Part Number | OC19476 | 4XB0F28649 | OC19478 | OC19482 | | | |
| Compatibility | TD340, RD340, RD440, RD540, RD640 | RD540, RD640 | TD340, RD340, RD440, RD540, RD640 | TD340, RD340, RD440, RD540, RD640 | | | |

| 16Gbps Fibre Channel HBAs | | | | | | | |
|---------------------------|---|---|--|--|--|--|--|
| | Lenovo ThinkServer QLE2672 Dual-port 16Gb FC HBA by QLogic | Lenovo ThinkServer LPe16002B Dual-port 16Gb FC HBA by Emulex | | | | | |
| Speed | 16Gbps | 16Gbps | | | | | |
| Ports | Dual | Dual | | | | | |
| Cable Medium | Fibre | Fibre | | | | | |
| Bracket | LP | LP | | | | | |
| Interface | PCIe v2.0 | PCIe v2.0 | | | | | |
| Protocols | Fibre Channel | Fibre Channel | | | | | |
| Part Number | 4XB0F28651 | 4XB0F28650 | | | | | |
| Compatibility | RD540, RD640 | RD540, RD640 | | | | | |

| SAS HBAs | | | | | | | |
|---------------|--|--|--|--|--|--|--|
| | Lenovo ThinkServer LSI9280-8e 6Gb SAS | Lenovo ThinkServer LSI9286CV-8e 6Gb | | | | | |
| | RAID HBA by LSI | SAS RAID HBA by LSI | | | | | |
| Speed | 6Gbps | 6Gbps | | | | | |
| Ports | 8 | 8 | | | | | |
| Connectors | 2 External | 2 External | | | | | |
| Bracket | LP | LP | | | | | |
| Interface | PCIe v2.0 | PCIe v2.0 | | | | | |
| Part Number | 4XB0F28645 | 4XB0F28646 | | | | | |
| Compatibility | TS440, RD340, RD440, RD540, RD640 | TS440, RD340, RD440, RD540, RD640 | | | | | |





MANAGE WITH EASE

ThinkServer Management Module Premium

The ThinkServer Management Module Premium (TMMp) adds to the functionality of the ThinkServer Management Module (TMM) — which is standard on ThinkServer TD340 tower — giving you remote keyboard, video, mouse (KVM) access and remote media access to your server. This means you can easily manage your servers from another location.

| Part Number | Option | TD340 | RD340 | RD440 | RD540 | RD640 |
|-------------|---------------------------------------|-------|-------|-------|-------|-------|
| 67Y2624 | ThinkServer Management Module Premium | * | * | * | * | * |



UPGRADE YOUR POWER

Power Supplies

Adding a second power supply with hot-swap capability is the smartest and most cost-effective investment you can make to keep your server up and running.

| Part Number | Option | TS440 | TD340 | RD340 | RD440 | RD540 | RD640 |
|-------------|--|-------|-------|-------|-------|-------|-------|
| 67Y2625 | ThinkServer 450W hot-swap Redundant Power Supply | * | | | | | |
| 4X20E54689 | ThinkServer 550W Gold hot-swap Redundant Power Supply | | | * | | | |
| 4X20E54691 | ThinkServer 800W Gold hot-swap Redundant Power Supply | | * | | | | |
| 4X20E54690 | ThinkServer 800W Gold hot-swap Redundant Power Supply | Ш | | | * | * | * |

PROTECT, MANAGE AND SHARE YOUR CRITICAL DATA

The Lenovo family of network and direct-attached storage devices offer simple, powerful and affordable solutions to protect, manage and share your critical information. They include large storage capacities and the enterprise-class features that organizations need, such as support for hot-swap drives, RAID, Active Directory, iSCSI, virtualization, snapshots and cloud storage options.

Network Attached Storage

Tower Devices

The LenovoEMC™ px2-300d, px4-400d and px6-300d network-attached devices pack ultra-fast storage and protection into a small, quiet chassis for office data protection and backup, with local and remote file sharing. Powered by enterprise-class LenovoEMC storage technology – and offering up to 24TB of capacity – the px tower devices are ideal for small- to medium-sized businesses and remote office/branch offices. Business users will appreciate the advanced data-protection features, such as multiple RAID levels with hot-swap drives, user quotas, device-to-device data replication and certification for most virtualization environments. High-performance video surveillance/storage management solutions are also available with these tower devices to help protect small offices.

| Part Number | Name | | | |
|-------------|--|--|--|--|
| px2-300d | | | | |
| 70BA9004NA | LenovoEMC px2-300d Network Storage, 0TB Diskless | | | |
| 70BA9000NA | LenovoEMC px2-300d Network Storage Server-Class 2TB (2HD x 1TB) | | | |
| 70BA9001NA | LenovoEMC px2-300d Network Storage Server-Class 4TB (2HD x 2TB) | | | |
| 70BA9002NA | 70BA9002NA LenovoEMC px2-300d Network Storage Server-Class 6TB (2HD x 3TB) | | | |
| 70BA9003NA | 70BA9003NA LenovoEMC px2-300d Network Storage Server-Class 8TB (2HD x 4TB) | | | |
| px4-400d | | | | |
| 70CM9000NA | LenovoEMC px4-400d Diskless | | | |
| 70CM9004NA | LenovoEMC px4-400d Server-Class 4TB (4HD x 1TB) | | | |
| 70CM9001NA | LenovoEMC px4-400d Server-Class 8TB (4HD x 2TB) | | | |
| 70CM9002NA | LenovoEMC px4-400d Server-Class 12TB (4HD x 3TB) | | | |
| 70CM9003NA | LenovoEMC px4-400d Server-Class 16TB (4HD x 4TB) | | | |
| px6-300d | | | | |
| 70BG9000NA | LenovoEMC px6-300d Network Storage, 0TB Diskless | | | |
| 70BG9009NA | LenovoEMC px6-300d Network Storage Server-Class 6TB (6HD x 1TB) | | | |
| 70BG9011NA | LenovoEMC px6-300d Network Storage Server-Class 12TB (6HD x 2TB) | | | |
| 70BG9007NA | LenovoEMC px6-300d Network Storage Server-Class 18TB (6HD x 3TB) | | | |
| 70BG9012NA | LenovoEMC px6-300d Network Storage Server-Class 24TB (6HD x 4TB) | | | |

Rackmount Devices

The powerful LenovoEMC px4-400r, px4-300r, px12-400r and px12-450r network storage arrays offer the highest levels of performance and advanced data protection for small- to medium-sized businesses and distributed enterprises. These rackmount arrays are available in configurations up to 48TB in a single array and are ideal for production data stores, server virtualization, backup-to-disk target and video surveillance. Features include device-to-device data replication, snapshots, SSD cache pools RAID support, Windows* Active Directory support, Active Directory High Availability, Hybrid Authentication, remote access and management and user quotas.

| Part Number | Name | | | | | |
|-------------|--|--|--|--|--|--|
| px4-400r | px4-400r | | | | | |
| 70CK9000WW | LenovoEMC px4-400r Diskless WW | | | | | |
| 70CK9005WW | LenovoEMC px4-400r Diskless ACR BU WW | | | | | |
| 70CL9000WW | LenovoEMC px4-400r PRO 4TB (4HD x 1TB) WW | | | | | |
| 70CL9001WW | | | | | | |
| 70CL9002WW | LenovoEMC px4-400r PRO 12TB (4HD x 3TB) WW | | | | | |
| 70CL9003WW | | | | | | |
| 70CK9004WW | LenovoEMC px4-400r Server-Class 4TB (4HD x 1TB) WW | | | | | |
| 70CC9000WW | LenovoEMC px4-400r Server-Class 4TB (4HD x 1TB) WWR | | | | | |
| 70CC9001WW | LenovoEMC px4-400r Server-Class 8TB (4HD x 2TB) WWR | | | | | |
| 70CK9001WW | LenovoEMC px4-400r Server-Class 8TB (4HD x 2TB) WW | | | | | |
| 70CC9002WW | LenovoEMC px4-400r Server-Class 12TB (4HD x 3TB) WWR | | | | | |
| 70CK9002WW | LenovoEMC px4-400r Server-Class 12TB (4HD x 3TB) WW | | | | | |
| 70CC9003WW | LenovoEMC px4-400r Server-Class 16TB (4HD x 4TB) WWR | | | | | |
| 70CK9003WW | LenovoEMC px4-400r Server-Class 16TB (4HD x 4TB) WW | | | | | |
| px4-300r | | | | | | |
| 70BJ9003WW | LenovoEMC px4-300r Diskless WW | | | | | |
| 70BJ9006WW | LenovoEMC px4-300r Network Storage Array PRO 4TB (4HD x 1TB) | | | | | |
| 70BJ9007WW | LenovoEMC px4-300r Network Storage Array Server-Class 8TB (4HD x 2TB) | | | | | |
| 70BJ9004WW | LenovoEMC px4-300r Network Storage Array Server-Class 12TB (4HD x 3TB) | | | | | |
| 70BJ9005WW | LenovoEMC px4-300r Network Storage Array Server-Class 16TB (4HD x 4TB) | | | | | |
| px12-400r | | | | | | |
| 70BN9004WW | LenovoEMC px12-400r Network Storage Array Server-Class 0TB DISKLESS | | | | | |
| 70BN9005WW | LenovoEMC px12-400r Network Storage Array Server-Class 4TB (4HD x 1TB) | | | | | |
| 70BN9000WW | LenovoEMC px12-400r Network Storage Array Server-Class 8TB (4HD x 2TB) | | | | | |
| 70BN9001WW | LenovoEMC px12-400r Network Storage Array Server-Class 12TB (4HD x 3TB) | | | | | |
| 70BN9003WW | LenovoEMC px12-400r Network Storage Array Server-Class 16TB (4HD x 4TB) | | | | | |
| 70BN9006WW | LenovoEMC px12-400r Network Storage Array Server-Class 24TB (12HD x 2TB) | | | | | |
| 70BN9007WW | LenovoEMC px12-400r Network Storage Array Server-Class 36TB (12HD x 3TB) | | | | | |
| 70BN9008WW | LenovoEMC px12-400r Network Storage Array Server-Class 48TB (12HD x 4TB) | | | | | |
| px12-450r | | | | | | |
| 70BR9004WW | LenovoEMC px12-450r Network Storage Array Server-Class OTB DISKLESS | | | | | |
| 70BR9001WW | LenovoEMC px12-450r Network Storage Array Server-Class 8TB (4HD x 2TB) | | | | | |
| 70BR9002WW | LenovoEMC px12-450r Network Storage Array Server-Class 12TB (4HD x 3TB) | | | | | |
| 70BR9003WW | LenovoEMC px12-450r Network Storage Array Server-Class 16TB (4HD x 4TB) | | | | | |
| 70BR9005WW | LenovoEMC px12-450r Network Storage Array Server-Class 24TB (12HD x 2TB) | | | | | |
| 70BR9006WW | LenovoEMC px12-450r Network Storage Array Server-Class 36TB (12HD x 3TB) | | | | | |
| 70BR9007WW | LenovoEMC px12-450r Network Storage Array Server-Class 48TB (12HD x 4TB) | | | | | |




Direct-Attached Storage

Combining expansive direct-storage capacity and innovative modularity, the ThinkServer SA120 $^{\circ}$ provides an innovative tiered storage solution for data center deployments, distributed enterprises or small businesses. Its dual I/O controllers couple the high-speed, low-latency performance of solid-state drives with cost-effective, large-capacity SAS – for a budget-friendly storage solution with outstanding performance. The SA120 provides plenty of room for growth. You have the capability to add up to 12 x 3.5" SAS hard-disk drives on the front panel, up to 4 x 2.5" SATA solid-state drives on the rear panel and can cascade up to eight SA120 enclosures with HBA support. With a standard 3-year warranty and tool-less features, the SA120 provides peace of mind at an impressive value.

| Part Number | Name | | | | | | |
|-------------------|---|--|--|--|--|--|--|
| Hard-disk Drives | Hard-disk Drives | | | | | | |
| OC19530 | ThinkServer 3.5" 1TB 7.2K SAS 6Gbps hot-swap Hard Drive | | | | | | |
| OC19531 | ThinkServer 3.5" 2TB 7.2K SAS 6Gbps hot-swap Hard Drive | | | | | | |
| OC19532 | ThinkServer 3.5" 3TB 7.2K SAS 6Gbps hot-swap Hard Drive | | | | | | |
| 4XB0F28635 | ThinkServer 3.5" 4TB 7.2K SAS 6Gbps hot-swap Hard Drive | | | | | | |
| Solid-state Drive | Solid-state Drives | | | | | | |
| 4XB0F28615 | ThinkServer 2.5" 120GB Value Read-Optimized SATA 6Gbps hot-swap Solid State Drive by Intel | | | | | | |
| 4XB0F28616 | ThinkServer 2.5" 240GB Value Read-Optimized SATA 6Gbps hot-swap Solid State Drive by Intel | | | | | | |
| 4XB0F28640 | ThinkServer 2.5" 300GB Value Read-Optimized SATA 6Gbps hot-swap Solid State Drive by Intel | | | | | | |
| 4XB0F28617 | ThinkServer 2.5" 480GB Value Read-Optimized SATA 6Gbps hot-swap Solid State Drive by Intel | | | | | | |
| 4XB0F28641 | ThinkServer 2.5" 800GB Value Read-Optimized SATA 6Gbps hot-swap Solid State Drive by Intel | | | | | | |
| 4XB0F28636 | ThinkServer 2.5" 100GB Mainstream Multipurpose SATA 6Gbps hot-swap Solid State Drive by Intel | | | | | | |
| 4XB0F28637 | ThinkServer 2.5" 200GB Mainstream Multipurpose SATA 6Gbps hot-swap Solid State Drive by Intel | | | | | | |
| 4XB0F28638 | ThinkServer 2.5" 400GB Mainstream Multipurpose SATA 6Gbps hot-swap Solid State Drive by Intel | | | | | | |
| 4XB0F28639 | ThinkServer 2.5" 800GB Mainstream Multipurpose SATA 6Gbps hot-swap Solid State Drive by Intel | | | | | | |
| Cage | | | | | | | |
| 4XF0F28766 | ThinkServer 2.5" SATA SSD Cage with SATA Interposer | | | | | | |
| Cables | | | | | | | |
| 4X90F31494 | ThinkServer 0.5 meters 26 Pin (SFF-8088 to SFF-8088) External miniSAS cable | | | | | | |
| 4X90F31495 | ThinkServer 1 meter 26 Pin (SFF-8088 to SFF-8088) External miniSAS cable | | | | | | |
| 4X90F31496 | ThinkServer 2 meters 26 Pin (SFF-8088 to SFF-8088) External miniSAS cable | | | | | | |
| 4X90F31497 | ThinkServer 4 meters 26 Pin (SFF-8088 to SFF-8088) External miniSAS cable | | | | | | |
| 4X90F31498 | ThinkServer 6 meters 26 Pin (SFF-8088 to SFF-8088) External miniSAS cable | | | | | | |
| I/O Controller | I/O Controller | | | | | | |
| 4XF0F28765 | ThinkServer Storage Array 6Gbps I/O Module | | | | | | |
| Power Supply | | | | | | | |
| 4X20E54689 | ThinkServer 550W Gold Hot-Swap Redundant Power Supply | | | | | | |

* Not available in all countries







lenovo.com

©2014 Lenovo. All rights reserved.

Availability: Offers, prices, specifications and availability may change without notice. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC, 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkServer, ThinkStation, ThinkVantage and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Corporation in the U.S. and other countries. Other company, product and service names may be trademarks or service marks of others.

Visit www.lenovo.com/safecomputing periodically for the latest information on safe and effective computing.

WW_WW_BRO_Q4-14_40638